MAINTAINING A PYTHON PROJECT WHEN IT'S NOT YOUR JOB

Hynek Schlawack

prometheus-async


py0penSSL

environ-config

Twisted

first

pem



CPython

doc2dash

cryptography


argon2-cfi



REMOVE FRICTION









FROM IDEA TO PYPI: A PLAY IN 3 ACTS



DEVELOPMENT



Project Information

attrs is released under the MIT license, its documentation lives at Read the Docs, the code on GitHub, and the latest release on PyPI. It's rigorously tested on Python 2.7, 3.4+, and PyPy.

We collect information on **third-party extensions** in our wiki. Feel free to browse and add your own!

If you'd like to contribute to **attrs** you're most welcome and we've written a little guide to get you started!



Project Information

attrs is released under the MIT license, its documentation lives at Read the Docs, the code on GitHub, and the latest release or PyPI. It's rigorously tested on Python 2.7, 3.4+, and PyPy.

We collect information on **third-party extensions** in our wiki. Feel free to browse and add your own!

If you'd like to contribute to **attrs** you're most welcome and we've written a little guide to get you started!



Project Information

attrs is released under the MIT license, its documentation lives at Read the Docs, the code on GitHub, and the latest release on PyPI. It's rigorously tested on Python 2.7, 3.4+, and PyPy.

We collect information on **third-party extensions** in our wiki. Feel free to browse and add your own!

If you'd like to contribute to **attrs** you're most welcome and we've written a little guide to get you started!



.github/CONTRIBUTING.rst



.github/CONTRIBUTING.rst .github/CODE_OF_CONDUCT.rst



\$ pip install -e .[dev]

\$ pip install -e .[dev]

\$ pip install -e .[dev]

OPTIONAL DEPENDENCIES



OPTIONAL DEPENDENCIES

\$ pip install urllib3[brotli,socks]



OPTIONAL DEPENDENCIES

```
$ pip install urllib3[brotli,socks]
setup(
    extras_require={
    "tests": ["pytest", "coverage"]
}
```

```
$ pip install -e .[dev]
$ pytest
```



```
$ pip install -e .[dev]
$ pytest
$ cd docs; make html
```



PROBLEMS



PROBLEMS

1. remember how



PROBLEMS

1. remember how

2. only 1 Python version





```
[tox]
envlist = py27,py37,pypy,pypy3
```



```
[tox]
envlist = py27,py37,pypy,pypy3
[testenv]
```



```
tox.ini
tox
envlist = py27, py37, pypy, pypy3
testenv
extras = tests
```



```
tox.ini
tox
envlist = py27,py37,pypy,pypy3
testenv
extras = tests
commands = pytest {posargs}
```



```
tox.ini
tox
envlist = py27,py37,pypy,pypy3
testenv
extras = tests
commands = pytest {posargs}
```



```
tox.ini
tox
envlist = py27,py37,pypy,pypy3
testenv
extras = tests
commands = pytest {posargs}
```

```
# tox -e py27 -- -x
```



flake8

Fix MANIFEST.in









hynek committed on May 24, 2018

pip install -i https://test.pypi.org/simple/ stdiomgr==1.0



Context manager for mocking/wrapping stdin/stdout/stderr

Navigation



Release history

Download files

Project links

***** Homepage

Project description

stdio Manager


Python context manager for mocking/wrapping ``stdin``/``stdout``/``stderr``

.. image:: https://travis-ci.org/bskinn/stdio-mgr.svg?branch=dev

:target: https://travis-ci.org/bskinn/stdio-mgr

.. image:: https://codecov.io/gh/bskinn/stdio-mgr/branch/dev/graph/badge.svg

:target: https://codecov.io/gh/bskinn/stdio-mgr











repos:

- repo: https://gitlab.com/pycqa/flake8



repos:

- repo: https://gitlab.com/pycqa/flake8
rev: 3.7.7



```
repos:
```

```
- repo: https://gitlab.com/pycqa/flake8
rev: 3.7.7
hooks:
   - id: flake8
```



repos:

```
- repo: https://gitlab.com/pycqa/flake8
rev: 3.7.7
hooks:
```

- id: flake8 language_version: python3.7





[testenv:lint]



```
[testenv:lint]
deps = pre-commit
```



```
[testenv:lint]
deps = pre-commit
skip_install = true
```



```
Ttestenv:lint]
deps = pre-commit
skip_install = true
commands =
    pre-commit run --all-files
```



```
[testenv:docs]
basepython = python3.7
extras = docs
commands =
```



```
tox.ini
```

```
[testenv:docs]
basepython = python3.7
extras = docs
commands =
   sphinx-build -W -b html -d {envtmpdir}/doctrees docs docs/_build/html
```



```
tox.ini
```


```
[testenv:docs]
basepython = python3.7
extras = docs
commands =
   sphinx-build -W -b html -d {envtmpdir}/doctrees docs docs/_build/html
   sphinx-build -W -b doctest -d {envtmpdir}/doctrees docs docs/_build/html
```



```
tox.ini
```

```
[testenv:docs]
basepython = python3.7
extras = docs
commands =
   sphinx-build -W -b html -d {envtmpdir}/doctrees docs docs/_build/html
   sphinx-build -W -b doctest -d {envtmpdir}/doctrees docs docs/_build/html
   python -m doctest README.rst
```





PULL REQUEST



.github/PULL_REQUEST_TEMPLATE.md



te Preview

Pull Request Check List


This is just a reminder about the most common mistakes. Please make sure that you tick all appropriate boxes. But please read our contribution guide at least once, it will save you unnecessary review cycles!

If an item doesn't apply to your pull request, **check it anyway** to make it apparent that there's nothing to do.

Added tests for changed code.New features have been added to our Hypothesis testing strategy.	
Changes or additions to public APIs are reflected in our type stubs (files ending in .pyi). and used in the stub test file tests/typing_example.py.	
 Updated documentation for changed code. New functions/classes have to be added to docs/api.rst by hand. 	
Changes to the signature of @attr.s() have to be added by hand too.	
Changed/added classes/methods/functions have appropriate versionadded,	
versionchanged, or deprecated directives.	
Documentation in .rst files is written using semantic newlines.	
Changes (and possible deprecations) have news fragments in changelog.d .	

If you have *any* questions to *any* of the points above, just **submit and ask!** This checklist is here to *help* you, not to deter you from contributing!







Travis CI joins the Idera family

Jan 23, 2019




Konstantin Haase News

When we started working on a Continuous Integration solution back in 2011, it was hard to imagine what Travis CI would become. Years later, we're still continuously working to make our community and the tech industry better and stronger. Today we are excited to announce that Travis CI has been acquired by Idera, Inc. Idera is the parent company of many software productivity tools and will support us in delivering quality software to all of you, our users.



#travisAlumns






Open Space Session tomorrow at 11:20 @ #EuroPython


Follow

GitHub Bots ear one honking great idea - let's do more of those!

#EuroPython2019 @europython

Open Space:
Thm. July 11th: Mario Kart tournament, Nintendo Switch
11:20 Thur Github Bots Are The 11:20 Thur Github Bots Are The 11:20 Ith Honking Great Idea — 12:10 July Let's Do More Of Those!
12:10 July Let's Do More Of Those,















stackoverflow








RELEASE





```
__version__ = "19.2.0.dev0"

__title__ = "attrs"
__description__ = "Classes Without Boilerplate"
__url__ = "https://www.attrs.org/"
__doc__ = __description__ + " <" + __uri__ + ">"
```

```
__author__ = "Hynek Schlawack"
__email_ = "hs@ox.cx"
```

```
__license__ = "MIT"
__copyright__ = "Copyright (c) 2015 Hynek Schlawack"
```


```
__version__ = "19.2.0.dev0"
```


```
__title__ = "attrs"
__description__ = "Classes Without Boilerplate"
__url_ = "https://www.attrs.org/"
__doc__ = __description__ + " <" + __uri__ + ">"
__author__ = "Hynek Schlawack"
\_email\_= "hs@ox.cx"
__license__ = "MIT"
```

__copyright__ = "Copyright (c) 2015 Hynek Schlawack"











ox.cx/oss Pitting @hynek

vrmd.de

